Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	10/611647	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2007/01/09 19:28
L2	. 1	09/118640	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 19:30
L3	2	"20020123335"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 19:52
L5	2	"20030078034"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 19:52
S1	85589	"455"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 12:57
S2	24155523	@ad<="20030701" or @rlad<="20030701" or @ptad<="20030701" or @pt1d<="20030701" or @pt3d<="20030701"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/08/18 09:55
S3	70259	S1 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 10:19
S4	411	server same network same request\$4 same (modif\$4 near3 request\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 10:20
S5	18	S3 and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:00

			III3COI)			
S6	14731	(portable mobile cellular handheld hand?held movable wireless remote\$2 terminal subscriber \$phone (mobile adj station)) with (as near3 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 15:17
S7	0	request\$4 near4 (from near3 network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 10:37
S8	1	(from near3 network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 10:38
S9	584	(modif\$5 near4 request\$\$) with network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 10:39
S10	4	S6 same S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 10:39
S11	5767	(portable mobile cellular handheld hand?held movable wireless remote\$2 terminal subscriber \$phone (mobile adj station)) with (as near3 server) same network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 10:44
S12	369	S3 and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:00
S13	2	"20040203599"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 15:07
S14	5557	(portable mobile cellular handheld hand?held movable wireless remote\$2 terminal subscriber \$phone (mobile adj station)) near5 (as near3 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 16:28
S15	142253	first same second same (server network (resource near3 content))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 16:21

S16	391	S14 same S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:00
S17	85589	"455"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 16:22
S18	24155523	@ad<="20030701" or @rlad<="20030701" or @ptad<="20030701" or @pt1d<="20030701" or @pt3d<="20030701"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 16:22
S19	70259	S18 and S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 16:22
S20	. 22	S16 and S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:00
S21	162485	(portable mobile cellular handheld hand?held movable wireless remote\$2 terminal subscriber \$phone (mobile adj station)) same (access\$4 request\$4) same (network server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 16:30
S22	27051	(portable mobile cellular handheld hand?held movable wireless remote\$2 terminal subscriber \$phone (mobile adj station)) same (access\$4 request\$4) same (network server) same first and second	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/04/07 16:32
S23	0	(portable mobile cellular handheld hand?held movable wireless remote\$2 terminal subscriber \$phone (mobile adj station)) same (request\$4 access\$4) same (network server provider (resource near3 content)) same from	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 16:35

S24	166941	(portable mobile cellular handheld hand?held movable wireless remote\$2 terminal subscriber \$phone (mobile adj station)) same (request\$4 access\$4) same (network server provider (resource near3 content))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 16:35
S25	111358	(portable mobile cellular handheld hand?held movable wireless remote\$2 terminal subscriber \$phone (mobile adj station)) with (request\$4 access\$4) with (network server provider (resource near3 content))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 16:35
S26	93001	(portable mobile cellular handheld hand?held movable wireless remote\$2 terminal subscriber \$phone (mobile adj station)) near10 (request\$4 access\$4) near10 (network server provider (resource near3 content))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 20:30
S27		"20050014489"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 22:25
S28	121	msisdn same (key (key near2 word))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 12:12
S29	15329	(sir sia (session near2 initiation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 12:44
S31	509721	(service near3 load\$4) sl	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 12:00
S32	33	S29 same S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/03/04 11:00
S33	24156018	@ad<="20030701" or @rlad<="20030701" or @ptad<="220030701" or @pt1d<="20030701" or @pt3d<="20030701"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 12:01

		LASI Searc		•		
S34	113	S28 and S33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 12:01
S35	83	msisdn same (key (key near2 word)) same (replac\$4 (as neae3 server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 12:13
S36	77	S33 and S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 12:13
S37	33	S29 same S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 12:45
S38	31	S33 and S37	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 15:46
S42	23	(indicat\$4 near5 server) same ((plac\$4 locat\$4 type) near4 (data content)) same (username id identif\$4) same (password pin key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 15:50
S43	2	"20030105864"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 20:42
S44	2	"20040107109"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 20:47
S45	7	(service near2 load\$4) same (password id username) same (id identif\$4) same ((place locat\$4 indicat\$4) near3 (content data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 20:53
S46	22	((service near2 load\$4) sl) same (password id username) same ((place locat\$4 indicat\$4) near3 (content data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 20:56

			•			
S47	505872	((service near2 load\$4) sl)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 20:56
S48	1209	((service near2 load\$4) sl) same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 20:56
S49	174	((service near2 load\$4) sI) same server same message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 21:14
S50	2	((service near2 load\$4) sl) same server same msisdn	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 21:15
S51	4	((service near2 load\$4) sl) same msisdn	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 21:17
S52	4	((service near2 load\$4) sl) same (msisdn (mobile near3 subscriber near3 international near3 digital))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 21:18
S53	5	((service near3 load\$4) sl) same (msisdn (mobile near3 subscriber near3 international near3 digital))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 21:19
S54	4	((service near2 load\$4) sl) same (msisdn (mobile near3 subscriber near3 international near5 digital))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 21:20
S55	4	((service near2 load\$4) sl) same (msisdn (mobile near3 subscriber near3 international near4 digital))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 21:27
S56	4	((service near2 load\$4) sl) same (msisdn (mobile near3 subscriber near4 digital))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 21:22

			-			
S57	4	((service near2 load\$4) sl) same msisdn	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 21:21
S58	85	((service near2 load\$4) sl) same url	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 21:22
S59	71	url same msisdn	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 21:30
S60	1	S58 and S59	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 21:21
S61	219	((service near2 load\$4) sl) same (http url)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 21:24
S62 .	112	(url http) same (msisdn (mobile near3 subscriber near4 digital))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 21:22
S63	1	S61 and S62	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 21:23
S64	1	S61 same S62	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 21:23
S65	4	S47 and S62	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 21:24
S66	67	((service near2 load\$4) sl) and (msisdn (mobile near3 subscriber near3 international near4 digital))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 21:27

		LASI SealC	sco. ,	,		
S67	11	url same http same msisdn	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 21:30
S68	35	http same msisdn same mobile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 22:48
S69	37	msisdn same (mobile near3 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 22:48
S70	2	"20030028612"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/10 00:10
S71	2	"20030028612"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/10 00:10
S72	88948	"455"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 15:16
S73	24331028	@ad<="20030701" or @rlad<="20030701" or @ptad<="20030701" or @pt1d<="20030701" or @pt3d<="20030701"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 15:17
S74	71948	S72 and S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 15:17
S75	4222	((portable mobile cellular handheld hand?held (device near2 wireless) \$phone) near6 server) with (network (gate near3 way) wap proxy) with internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 15:29
S76	475	S74 and S75	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 15:20

S77	340	((portable mobile cellular handheld hand?held (device near2 wireless) \$phone) near6 ((as serv\$2) near3 server)) with (network (gate near3 way) wap proxy) with internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 15:30
S78	92	((portable mobile cellular handheld hand?held (device near2 wireless) \$phone) near6 ((as serving serve serves) near3 server)) with (network (gate near3 way) wap proxy) with internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 16:46
S79	92	((portable mobile cellular handheld hand?held (device near2 wireless) \$phone) near6 ((as serving serve serves) near3 server)) with (network (gate near3 way) wap proxy) with internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 16:48
S80	92	((portable mobile cellular handheld hand?held (device near2 wireless) \$phone) near6 ((as serving serve serves) near3 server)) with (network (gate near3 way) wap proxy) with internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 16:49
S81	61	((portable mobile cellular handheld hand?held (device near2 wireless) \$phone) near6 ((as serving serve serves) near3 server)) same (network (gate near3 way) wap proxy) same internet same ((mobile near4 international) msisdn number identif\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 16:56
S82	308	((portable mobile cellular handheld hand?held (device near2 wireless) \$phone) near6 ((as serving serve serves) near3 server)) same (network (gate near3 way) gateway wap proxy) same ((mobile near4 international) msisdn number identif\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 19:20
S83	80	"455"/\$.ccls. and S82	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 16:58

Page 9

	·					
S84	1	((portable mobile cellular handheld hand?held (device near2 wireless) \$phone) near6 ((as serving serve serves) near3 server)) same ((gate near3 way) gateway wap proxy) same internet same ((mobile near4 international) msisdn (phone near3 (number identif\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 19:25
S85	2522	((portable mobile cellular handheld hand?held (device near2 wireless) \$phone) near6 ((as serving serve serves) near3 server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 19:39
S86	538	((gate near3 way) gateway wap proxy) same internet same ((mobile near4 international) msisdn (phone near3 (number identif\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 19:39
S87	25	S85 and S86	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:00
S88	89082	"455"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 09:55
S89	24332788	@ad<="20030701" or @rlad<="20030701" or @ptad<="20030701" or @pt1d<="20030701" or @pt3d<="20030701"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 09:55
S90	2528	((portable mobile cellular handheld hand?held (device near2 wireless) \$phone) near6 ((as serving serve serves) near3 server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 10:06
S91	540	((gate near3 way) gateway wap proxy) same internet same ((mobile near4 international) msisdn (phone near3 (number identif\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 09:56
S92	. 25	S90 and S91	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 09:56

			•			
S93	2815	((portable mobile cellular handheld hand?held (device near2 wireless) \$phone) near6 ((as serving serve serves act) near3 server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 10:33
S94	46	destinat\$4 with ((gateway network) near3 address) with (msisdn (mobile near4 international) (mobile near3 (number identif\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 10:10
S95	3	S93 and S94	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2005/08/18 10:08
S96	133	destinat\$4 same ((gateway network) near3 address) same (msisdn (mobile near4 international) (mobile near3 (number identif\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 10:14
S97	2	S93 same S96	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 10:11
S98	6	S93 and S96	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 10:11
S99	223	destinat\$4 same ((gateway network) near5 address\$4) same (msisdn (mobile near4 international) (phone near3 (number identif\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 10:34
S10 0	_. 75139	(as serving serve serves act) near3 server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 10:32
S10 1	1	S99 same S100	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 10:18
S10 2	. 68	S99 and S100	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 10:18

S10 3	3773	(portable mobile cellular handheld hand?held (device near2 wireless) \$phone) near6 ((as serving serve serves act) near3 (database server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 10:34
S10 4	1283	((gateway network) near5 address\$4) same (msisdn (mobile near4 international) (phone near3 (number identif\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2005/08/18 10:35
S10 5	5	S103 same S104	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 10:38
S10 6	66	S103 and S104	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 13:37
S10 7	3773	(portable mobile cellular handheld hand?held (device near2 wireless) \$phone) near6 ((as serving serve serves act) near3 (database server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 13:37
S10 8	1283	((gateway network) near5 address\$4) same (msisdn (mobile near4 international) (phone near3 (number identif\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 13:37
S10 9	66	S107 and S108	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:01
S11 0	12	(request\$4 near4 messag\$2) with includ\$4 with ((network gateway internet) near4 address\$4) with (((number identif\$6 international) near4 mobile) msisdn)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 14:21
S11 1	110	(request\$4 near4 messag\$2) same ((network gateway internet) near4 address\$4) same (((number identif\$6 international) near4 mobile) msisdn min)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/08/18 15:38
S11 2	2	"20030105864"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 16:24

1/9/07 7:57:50 PM

LAST Scarcit History								
S11 3	2	"6292833".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 19:54		
S11 4	2	"20040083114"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 19:55		
S11 5	2	"20020123335"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 19:55		
S11 6	2	"20050014489"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR _	ON	2006/03/04 10:51		
S11 7	94902	"455"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:00		
S11 8	24471942	@ad<="20030701" or @rlad<="20030701" or @ptad<="20030701" or @pt1d<="20030701" or @pt3d<="20030701"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:00		
S11 9	74939	S117 and S118	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:00		
S12 0	490	server same network same request\$4 same (modif\$4 near3 request\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/03/04 11:00		
S12 1	23	S119 and S120	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:00		
S12 2	7205	(portable mobile cellular handheld hand?held movable wireless remote\$2 terminal subscriber \$phone (mobile adj station)) with (as near3 server) same network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:00		

	EAST Scaren motory								
S12 3	436	S119 and S122	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:00			
S12 4	6963	(portable mobile cellular handheld hand?held movable wireless remote\$2 terminal subscriber \$phone (mobile adj station)) near5 (as near3 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:00			
S12 5	167581	first same second same (server network (resource near3 content))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:00			
S12 6	559	S124 same S125	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:00			
S12 7	559	S124 same S125	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:00			
S12 8	94902	"455"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:00			
S12 9	24471942	@ad<="20030701" or @rlad<="20030701" or @ptad<="20030701" or @pt1d<="20030701" or @pt3d<="20030701"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:00			
S13 0	74939	S129 and S128	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:00			
S13 1	34	S127 and S130	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:00			
S13 2	18792	(sir sia (session near2 initiation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:00			

S13 3	630360	(service near3 load\$4) sl	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:00		
S13 4	38	S132 same S133	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:00		
S13 5	2878	((portable mobile cellular handheld hand?held (device near2 wireless) \$phone) near6 ((as serving serve serves) near3 server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:00		
S13 6	643	((gate near3 way) gateway wap proxy) same internet same ((mobile near4 international) msisdn (phone near3 (number identif\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:00		
S13 7	27	S135 and S136	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:00		
S13 8	4262	(portable mobile cellular handheld hand?held (device near2 wireless) \$phone) near6 ((as serving serve serves act) near3 (database server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:01		
S13 9	1471	((gateway network) near5 address\$4) same (msisdn (mobile near4 international) (phone near3 (number identif\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:01		
S14 0	74	S138 and S139	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/03/04 11:01		
S14 1	183	(first near3 network) and (second near3 network) and ((\$phone pda celluar) near4 server) and content. clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 11:02		
S14 2	. 3	10/611647	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 13:18		

S14 3	2	"6292833".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 15:03
S14 4	2	"20030028612"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 15:04
S14 5	2	"20030028612"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 19:15